

HPD UNIQUE IDENTIFIER: 27885

CLASSIFICATION: 09 83 00 Acoustic Finishes

PRODUCT DESCRIPTION: Envirocoustic™ Wood Wool ceiling and wall panels are a high-performance, sustainable, cost-effective acoustic product. Available in a variety of sizes, finishes, and applications. This HPD covers all product options for ceiling and wall applications. For more information visit www.acousticalsurfaces.com.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

| | | | |
|--|--|--|---|
| <p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p> | <p>Threshold Level</p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p> | <p>Residuals/Impurities</p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> | <p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p> |
|--|--|--|---|

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

ENVIROCOUSTIC WOOD WOOL ACOUSTIC PANEL | PORTLAND CEMENT LT-P1 | CAN | END **WOOD** NoGS **WATER** BM-4 **DIETHYLENE GLYCOL MONO-N-BUTYL ETHER** LT-P1 | END | EYE **LUBRICATING OILS** LT-1 | CAN | PBT | MUL]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals and impurities are displayed and described in this HPD when greater than the Content Inventory Threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-03-18

PUBLISHED DATE: 2022-03-18

EXPIRY DATE: 2025-03-18

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpdc-collaborative.org/hpd-2-2-standard

ENVIROACOUSTIC WOOD WOOL ACOUSTIC PANEL

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are displayed and described in this HPD when greater than the Content Inventory Threshold.

OTHER PRODUCT NOTES:

PORTLAND CEMENT

ID: 65997-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-18 19:03:18

#: 60.0000 - 65.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---------------------------------------|--|
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |

SUBSTANCE NOTES:

WOOD

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-18 19:04:04

#: 37.0000 - 39.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Structure component

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES:

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-18 19:04:25

#: 1.0000 - 2.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Binder

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-03-18 19:05:41**%: **0.7500 - 2.7000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---|--|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| EYE | EU - GHS (H-Statements) Annex 6 Table 3-1 | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] |

SUBSTANCE NOTES: Diethylene glycol mono-n-butyl ether is contained within the coating. This substance is not in respirable form in the finished product.

LUBRICATING OILS

ID: 74869-22-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-03-18 19:06:37**%: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---|--|
| CAN | EU - REACH Annex XVII CMRs | Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man |
| CAN | EU - Annex VI CMRs | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence |
| PBT | EC - CEPA DSL | Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans |
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| CAN | GHS - Australia | H350 - May cause cancer [Carcinogenicity - Category 1A or 1B] |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H350 - May cause cancer [Carcinogenicity - Category 1A or 1B] |

SUBSTANCE NOTES: If present, it is bound beneath the coating and is not in a hazardous form in the finished product.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party

ISSUE DATE: 2018-10-

EXPIRY DATE:

CERTIFIER OR LAB: Intertek

APPLICABLE FACILITIES: All manufacturing facilities

30

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, Acoustical Surfaces, Inc. expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS), as well as by the additional ingredient information provided for specified substances. Please refer to the Acoustical Surfaces, Inc. website for more information on this product www.acousticalsurfaces.com.

MANUFACTURER INFORMATION

MANUFACTURER: ASI
ADDRESS: 123 Columbia Court North
 Chaska Minnesota 55318, United States
WEBSITE: www.acousticalsurfaces.com

CONTACT NAME: Joe Satek
TITLE: Product Manager
PHONE: 9524668265
EMAIL: jsatek@andersonsi.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | NoGS No GreenScreen. |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | |
| BM-U Benchmark Unspecified (due to insufficient data) | |
| LT-P1 List Translator Possible 1 (Possible Benchmark-1) | |

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.