



GRILLE

INVISIPERF METAL

GRILLE

INVISIPERF METAL

Get the best of both worlds without compromise. Our InvisiPerf Metal Grille delivers the crisp, linear aesthetic projects desire while providing a flexible range of powerful acoustic options. The system can achieve an exceptional NRC of up to 1.15 with a backer, or provide a valuable 0.55 NRC on its own. This versatility allows you to specify the exact level of performance needed for any space.

- Best-in-class acoustics with an NRC rating up to 1.15 (with acoustic backer)
- Provides significant 0.55 NRC with no backer required
- Create dynamic ceilings by mixing various slat heights and finishes
- Available in multiple colors and premium wood grain finishes

SPECS

Material Composition: Aluminum with ultra micro perforations

Slat Width: Nominal 1-5/8" (Exact 1.65")

Slat Height: Nominal 1", 1-1/4", 1-1/2" (Exact 1.06", 1.26", 1.57")

Slat O.C. Spacing: Nominal 2", 2-3/8", 3", 4" (Exact 1.97", 2.36", 2.95", 3.94")

Panel Size: Nominal 2' x 8', custom available

Installation Method: Threaded rod, aircraft cable

NRC Rating: Wall panel with 1" acoustic backer - 0.85, ceiling panel with no acoustic backer - 0.55, ceiling panel with 1" acoustic backer - 1.00, ceiling panel with 2" acoustic backer - 1.15


Fire Rating: Class A fire rated per ASTM E84




DIMENSIONS

INVISIPERF METAL GRILLE


Available in a variety of slat sizes and spacings, along with flat or hybrid arrangement, to meet the performance and design needs of any project.



Flat



Hybrid





FINISH

Enhance your design with a spectrum of powder-coated colors, printed wood grain, or printed stone textures.

Powder-Coated Colors




Snow White




Cloud Gray



Black



Beige White



Ivory White



Dark Brown



Pearl Yellow



Aqua Green



Sky Blue

Printed Textures



Teak



Dark Teak



Silver Teak



Granite



Oak



Red Oak



Light Oak




Biostone



Old Oak



Red
Chestnut



Washed
Maple



Slate

PERFORMANCE

The performance of InvisiPerf Metal is rooted in its patented, angled ultra micro-perforation technique. This departure from conventional 90° larger perforation methods optimizes the panel's surface to deliver exceptional sound absorption without needing acoustic infill. This breakthrough technology is the secret to achieving a visually seamless, monolithic aesthetic while meeting demanding acoustic requirements.

