# PET Felt by MATERIAL LOGIQ

**Health Product** Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 673050067968 CLASSIFICATION: 09 80 00 Acoustic Treatment

PRODUCT DESCRIPTION: PET Felt by MATERIAL LOGIQ is a acoustically absorptive material used in ceiling and wall panels, baffles, clouds, and

partitions. Made from 60% post-consumer recycled fiber, and passes the CDPH V1.2 test standard for low VOC emissions.



# Section 1: Summary

## **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

**Threshold Level** 

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods. Identified

Yes ○ No.

Provided name and CAS RN or other identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

PET FELT BY MATERIAL LOGIQ [ POLYETHYLENE

TEREPHTHALATE (PET) LT-P1 PHOSPHONIC ACID, METHYL-, BIS(5-ETHYL-2-METHYL-2,2-DIOXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL ESTER, MIXT. WITH (5-ETHYL-2-METHYL-2-OXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL METHYL

METHYLPHOSPHONATE NoGS N.N'-ETHYLENE DISTEARYLAMIDE

LT-UNK TITANIUM DIOXIDE (PRIMARY CASRN IS 13463-67-7) BM-1 \* CAN | END | MAM PIGMENT BLUE 15 BM-3 PIGMENT YELLOW 147

LT-UNK CARBON BLACK BM-1 \* | CAN | EYE | MAM | PHY FERRIC

OXIDE BM-1 \* | CAN | MAM 2,2'-(VINYLENEDI-4-PHENYLENE)BIS(BENZOXAZOLE) BM-1

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals / impurities are displayed and described in the HPD when greater than the Content Inventory Threshold.

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -

Residential scenario

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -

Classroom & Office scenario

### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

**VERIFICATION #:** 

SCREENING DATE: 2024-09-18 PUBLISHED DATE: 2024-09-18 EXPIRY DATE: 2027-09-18

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

### PET FELT BY MATERIAL LOGIQ

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals / impurities are displayed and described in the HPD when greater than the Content Inventory Threshold.

OTHER PRODUCT NOTES:

### **POLYETHYLENE TEREPHTHALATE (PET)**

ID: 25038-59-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZA	RD SCREENING DATE: 2024-09-18 9:21:52
%: 97.4000 - 99.2000	GreenScreen: LT-P1	RC: PostC	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	NO
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Contains 60% post-consumer recycled content.

PHOSPHONIC ACID, METHYL-, BIS(5-ETHYL-2-METHYL-2,2-DIOXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL ESTER, MIXT. WITH (5-ETHYL-2-METHYL-2-OXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL METHYL METHYL METHYLPHOSPHONATE

ID: **170836-68-7** 

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-09-18 9:21:52		
%: <b>0.4000 - 1.0000</b>	GreenScreen: NoGS	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No w	varnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	I	
None found				No listings found on Additional Hazard Lists	

	aros Chemical and Materials Library	1	HAZARD	SCREENING DATE: 2024-09-18 9:21:52
%: <b>0.3000 - 0.6000</b>	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists

# TITANIUM DIOXIDE (PRIMARY CASRN IS 13463-67-7)

ID: **946525-05-9** 

HAZARD DATA SOURCE:	ARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-09-18 9:21:53			
%: 0.0000 - 0.3000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
CAN	US CDC - Occupational Ca	US CDC - Occupational Carcinogens		cinogen**		
CAN	CA EPA - Prop 65	CA EPA - Prop 65		rific to chemical form or exposure route**		
CAN	IARC		Group 2B - Possibly carcinogenic to humans - inha from occupational sources**			
CAN	MAK	MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**		
END	TEDX - Potential Endocrine	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor**		
CAN	MAK	MAK		o 4 - Non-genotoxic carcinogen with low AT levels**		
CAN	IARC		Group 2b - Possibly carcinogenic to humans**			
CAN	EU - GHS (H-Statements) /	EU - GHS (H-Statements) Annex 6 Table 3-1		of causing cancer [Carcinogenicity -		
CAN	GHS - Japan	GHS - Japan		of causing cancer [Carcinogenicity -		
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic toxicity I exposure - Category 1]**		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: \*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

PIGMENT BLUE 15 ID: 147-14-8

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-09-18 9:21:5		
%: 0.0000 - 0.1000	GreenScreen: BM-3	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	rnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
POSITIVE LIST	US Environmental Protection EPA)	Agency (US	US EPA - DfE Saf	fer Chemicals Ingredients list (SCIL)	
	,		Colorants - Green	Circle (Verified Low Concern)	
SUBSTANCE NOTES:					

PIGMENT YELLOW 147 ID: 4118-16-5

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZARD	SCREENING DATE: 2024-09-18 9:21:53
%: 0.0000 - 0.1000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists

CARBON BLACK ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-09-18 9:21:5				
%: 0.0000 - 0.1000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
CAN	US CDC - Occupational Car	US CDC - Occupational Carcinogens		cinogen**		
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**			
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure rout			
CAN	IARC	IARC		Group 2b - Possibly carcinogenic to humans**		
EYE	GHS - New Zealand	GHS - New Zealand		Eye irritation category 2**		
CAN	GHS - New Zealand	GHS - New Zealand		Carcinogenicity category 2**		
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**			
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxici following repeated exposure - Category 1]**			
PHY	GHS - Japan		H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]**			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
None found			No	listings found on Additional Hazard Lists		

SUBSTANCE NOTES: \*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

FERRIC OXIDE ID: 1309-37-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-09-18 9:21:53		
%: 0.0000 - 0.1000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic but not sufficient for classification**		
MAM	GHS - Japan		H372 - Causes damage to organs through prolong repeated exposure [Specific target organs/system following repeated exposure - Category 1]**		
MAM	GHS - Japan			amage to organs [Specific target oxicity following single exposure -	

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: \*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

### 2,2'-(VINYLENEDI-4-PHENYLENE)BIS(BENZOXAZOLE)

ID: 1533-45-5

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZARD :	SCREENING DATE: 2024-09-18 9:21:53
%: 0.0000 - 0.1000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: 2,2'-(Vinylenedi-4-phenylene)bis(benzoxazole) is bound within the fiber structure and is not inhalable. Accordingly, it is excluded from regulatory lists. It is not in a respirable form in the final product.

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**EXPIRY DATE:** 

**EXPIRY DATE:** 

### **VOC EMISSIONS**

### CDPH Standard Method V1.2 (Section 01350/CHPS) - Residential scenario

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: All ASI Facilities

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2018-10-18 00:00:00

CERTIFIER OR LAB: Intertek

#### **VOC EMISSIONS**

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: All ASI Facilities

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2018-10-19 00:00:00

CERTIFIER OR LAB: Intertek



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, Acoustical Surfaces, Inc. expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS), as well as by the additional ingredient information provided for specified substances. Please refer to the MATERIAL LOGIQ website for more information on this product www.materiallogiq.com.

#### **MANUFACTURER INFORMATION**

MANUFACTURER: ASI

ADDRESS: 123 Columbia Court N.

Chaska, MN 55318 COUNTRY: USA WEBSITE: www.materiallogiq.com
CONTACT NAME: Joe Satek

TITLE: Product Manager PHONE: 952-466-8265

EMAIL: jsatek@andersonsi.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

