



PLACEHOLDER

THATCH

ACOUSTIC CEILING CLOUDS



MATERIAL LOGIQ



THATCH

ACOUSTIC CEILING BAFFLE SYSTEM

Thatch is a PET felt cloud system that gets its character from interlocking fins layered into a textural, sculptural mass. It softens the acoustics of open ceilings while giving them something worth looking up at.

KEY INFO

Material:	1/2" recycled PET felt
Acoustics:	Up to 1.20 NRC rating
Fire Rating:	Class A
Weight:	2 lbs per square foot
Warranty:	1 year
Sustainability:	UL GREENGUARD Gold 60% recycled content HPD Declare label

SPECS


Shape:	Square, Triangle
Module Size:	96" x 96"
Blade Height:	8"
End Profile:	Square, Radiused, Arrow
Installation Method:	Cable, threaded rod, unistrut, direct attach
Finishes:	12 Essential colors 26 Luxe colors 10 wood grain textures

CUSTOM OPTIONS


DETAILS

THATCH


Module Components



Shape: Square




Shape: Triangle




SQUARE DETAILS

THATCH



TRIANGLE DETAILS


THATCH




END PROFILE

THATCH



Square



Radiused




Arrow




PLANNING

Square




Triangle




INSTALLATION METHOD

Cable




Threaded Rod



INSTALLATION METHOD

Unistrut




Direct Attach

LUXE COLORS

COLORS AND FINISHES



Quarry Stone



Taconite Gray



Gunflint



Morel



Driftless Stone




Sandpiper



Prairie Sand



Toasted Grain




Winter Sunrise




Iron Range



Cardinal



Golfinch



Marigold



Superior Fog



Sea Glass



Belize



Deep Lake



Boundary Waters



Wild Lavender




Cornflower



Mint Mist



Spring Bud



Lichen



Evergreen



Spruce Shadow



Northern Night

Due to color variance in monitor and print settings, please verify PET felt color by requesting a material sample.

ESSENTIAL COLORS

COLORS AND FINISHES




White




Silver



Smoke



Gray



Black



Beige




Tan




Brown



Orange



Red



Lime



Blue



Purple

Due to color variance in monitor and print settings, please verify PET felt color by requesting a material sample.

WOOD GRAIN TEXTURES

COLORS AND FINISHES



Ash



Black Walnut



Charred Ash



Cherry



Maple



Peeled Birch



Red Oak



Rough Oak



Teak




White Oak

Due to color variance in monitor and print settings, please verify PET felt color by requesting a material sample.

PERFORMANCE DATA

GRILLA

ACOUSTIC PERFORMANCE



Product	Mounting	Backer	250 Hz	500 Hz	1000 Hz	2000 Hz	NRC
GRILLA	Direct	None	0.61	1.14	1.05	1.15	1.00
GRILLA	Grid	None	0.69	0.90	1.05	1.14	0.95
GRILLA	Grid	1"	1.05	1.20	1.17	1.22	1.15
GRILLA	Grid	2"	1.20	1.27	1.20	1.22	1.20

ADDITIONAL TESTING

Fire Rating: Class A per ASTM E84

Light Reflectance: 87 (White)

Fungi Resistance: High - Passes ASTM C1338

CERTIFICATIONS

