


PLAIDDA

WOOD SLAT PANEL

MATERIAL LOGIQ



Hollo is a PET felt ceiling tile that friction-fits into standard T-grid and carries its profile both above and below the plane, so a lay-in ceiling reads as drawn lines instead of a flat field. The plenum stays open above and around each tile, keeping the full height of the space in view.

KEY INFO

Material:	Solid hardwood slats on 1/2″ recycled PET
Acoustics:	0.60 NRC per ASTM C423 A-Mount
Fire Rating:	Class A per ASTM E84
Warranty:	1 year
Sustainability:	SCS IAQ Gold Certification, 60% post-consumer recycled PET felt, HPD

SPECS

Tile Size:	24″ x 24″
Tile Depth:	1-1/4″ overall
Patterns:	12, see pattern pages
Installation Method:	Adhesive, walls
Finishes:	PET felt: 12 Essential, 26 Luxe colors, 10 wood textures. Wood: 8 wood species available, with a Class A fire-rated finish


CUSTOM OPTIONS

Every Material Logiq system can be adapted in size, shape, finsih, and configuration to fit the project.


Tile Height:	Up to 2′ W x 9′ H
Patterns:	Custom slat layouts and spacing available
Wood:	Other species on request
Mounting:	Direct attachment available with Black PET felt
Trim:	Custom trim available

DETAILS


Tile Components




Typical Install




PATTERNS




Windowpane




Graph




Pin




Gingham




Morrocan




Argyle




Lattice




Trellis




Tartan



Tattersall




Gordon



Basket

INSTALLATION METHOD



Direct attach to wall using adhesives according to specified layout

WOOD SPECIES

COLORS AND FINISHES



Hickory



Ash



Maple



Beech



White Oak



Red Oak



Cherry




Walnut

Due to color variance in monitor and print settings, please verify Wood color by requesting a material sample.

LUXE COLORS

COLORS AND FINISHES


Quarry Stone


Taconite Gray


Gunflint



Morel


Driftless Stone


Sandpiper



Prairie Sand



Toasted Grain


Winter Sunrise


Iron Range


Cardinal


Golfinch


Marigold



Superior Fog


Sea Glass


Belize


Deep Lake


Boundary Waters


Wild Lavender


Cornflower


Mint Mist


Spring Bud


Lichen


Evergreen


Spruce Shadow


Northern Night

Due to color variance in monitor and print settings, please verify PET felt color by requesting a material sample.

ESSENTIAL COLORS

COLORS AND FINISHES


White



Silver



Smoke



Gray



Black




Beige



Tan



Brown




Orange



Red



Lime



Blue



Purple

Due to color variance in monitor and print settings, please verify PET felt color by requesting a material sample.

WOOD GRAIN TEXTURES

COLORS AND FINISHES



Ash



Black Walnut



Charred Ash



Cherry



Maple



Peeled Birch



Red Oak



Rough Oak



Teak



White Oak

Due to color variance in monitor and print settings, please verify PET felt color by requesting a material sample.

PERFORMANCE DATA

PLAIDDA

ADDITIONAL TESTING

Fire Rating:	Class A per ASTM E84
NRC Rating:	Up to 0.70
Fungi Resistance:	High - Passes ASTM C1338

CERTIFICATIONS